



Intel® QuickAssist for Windows*

Release Notes

Package Version: W.1.6.0-0004
Revision 006US

August 2021



You may not use or facilitate the use of this document in connection with any infringement or other legal analysis. You may not use or facilitate the use of this document in connection with any infringement or other legal analysis concerning Intel products described herein. You agree to grant Intel a non-exclusive, royalty-free license to any patent claim thereafter drafted which includes subject matter disclosed herein.

No license (express or implied, by estoppel or otherwise) to any intellectual property rights is granted by this document.

All information provided here is subject to change without notice. Contact your Intel representative to obtain the latest Intel product specifications and roadmaps.

All product plans and roadmaps are subject to change without notice.

The products described may contain design defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.

Intel technologies' features and benefits depend on system configuration and may require enabled hardware, software or service activation. Performance varies depending on system configuration. No computer system can be absolutely secure. Check with your system manufacturer or retailer or learn more at [intel.com](https://www.intel.com).

Intel disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade.

© Intel Corporation. Intel, Intel Atom, Intel Xeon, Intel C62x, Intel QAT, the Intel logo, and other Intel marks are trademarks of Intel Corporation or its subsidiaries.

*Other names and brands may be claimed as the property of others.

Copyright © 2021, Intel Corporation. All rights reserved.

Contents

1	Description of Release	7
1.1	Supported Hardware Platforms	7
1.2	Supported Operating Systems	7
1.3	Package Version	8
1.4	What's New	9
1.5	Intel® QAT Software Release Feature History	9
1.6	Data Compression Services	10
1.7	Cryptography Services	10
1.8	Customer Support	11
1.9	List of Files in This Release	11
1.10	Reference Documents	11
1.11	Terminology	12
2	Limitations, Known Issues and Resolved Issues	13
2.1	Limitations	13
2.2	Known Issues	13
2.2.1	WCAT workload has ECDHE curve25519 failure	13
2.2.2	Parcomp unable to read > 1GB file for compression	14
2.2.3	Cngtest does not validate fallback operations are working correctly	14
2.2.4	Sending malicious data to the VF may result in PCIe Push/Pull Parity Error or NMI	14
2.2.5	Compression may randomly fail (qzSetupSession error) after driver installation	15
2.2.6	Multiple concurrent PF/VF comms operations will put VF device in bad state	15
2.2.7	Possible MIN macro redefinition error in qatzip.h header file	16
2.2.8	Performance counters are not removed after uninstalling package	16
2.2.9	Installation temp folder not deleted when QAT installed as normal user	16
2.2.10	Uninstalling QAT PF driver with active Windows* Guests QAT VF's may cause VM shutdown issues	17
2.3	Resolved Issues	17
2.3.1	Default curve order for elliptic curves not supported by QAT	17
2.3.2	QAT driver and service are sometimes not removed after uninstallation	18
2.3.3	Cannot disable driver while parcomp (compression) is running	18
2.3.4	Windows* Setup /passive install has crypto failures	19
2.3.5	System crash when calling QATZip API function incorrectly	19
2.3.6	Length headers are not populated for gzipext in SW Fallback on Linux* QATzip	20
3	Software Installation	21
4	Test Applications	22
4.1	Compression Test Application	22
4.2	Cryptography (PKE) Test Application	22



Figures

Figure 1. Device Manager with Intel® QuickAssist driver installed in Microsoft® Windows* 21

Tables

Table 1. Validated Bare-Metal/Host Operating Systems Supported for This Release 7
Table 2. Validated Guest Operating Systems Supported for This Release 8
Table 3. Package Version 8
Table 4. Intel® QAT Software Release Feature History 9
Table 5. Intel® QuickAssist Technology’s Generic Documentation 11
Table 6. Intel® QuickAssist Technology Software Specific Documentation 12
Table 7. Terminology 12

Revision History

Document Number	Revision Number	Description	Revision Date
337758	006	Intel® QuickAssist Software release W.1.6.0-0004 <ul style="list-style-type: none"> Updated Section 1.1 to include Intel® Xeon® third generation platforms Updated Section 1.2 – Supported Operating Systems Updated Section 1.3 – Package Version Updated Section 1.4 – What’s New Updated Table 4 - Intel® QAT Software Release Feature History Added APIs new Section 1.6 – Data Compression Services Moved QATE-74339 to Resolved Issues 	August 2021
337758	005	Intel® QuickAssist Software release 1.5.0-0007 <ul style="list-style-type: none"> Added Windows* Host Virtualization support via SR-IOV. Currently, only Linux* QAT VF’s are supported. Added Software Fallback for the Windows* PF driver to support Linux* Guests with the QAT Linux* VF using QAT Engine Applications Added QATzip support for the systems without QAT hardware and services. All deflate compression operations will take the software path using ISA-L if software fallback is specified 	June 2021
337758	004	Intel® QuickAssist Software release 1.4.0-0007 <ul style="list-style-type: none"> Updated Supported OSs Add support for Intel® Atom® C3000 with Intel® QAT Updated Windows* QATzip to use standard QATzip header file Added support for the gzip and gzipext data format Added support of ISA-L SW Fallback for gzip and gzipext data formats 	March 2021
337758	003	Intel® QuickAssist Software release 1.3.0-0009 <ul style="list-style-type: none"> Updated Windows* Software Release version v1.3.0-0009 Added new sections 1.3.1 What’s New and 1.3.2 Software Release History Updated Features Paragraph 13, compression/decompression features Updated Section 3.0 removing Neonicity security accelerators Added Known Issues: QATE 38968, 40170 Added Resolved Issue: QATE-37219 	April 2020
337758	002	Intel® QuickAssist Software release v1.1.0-29 <ul style="list-style-type: none"> Removed Support for Windows* Server 2012 Added known issues QATE-37219 and QATE-36847 	March 2019



		<ul style="list-style-type: none">• Resolved QATE-15336, Parcomp/FVL25 Driver Compatibility Issue Server 2012 R2 Update 1• Section 1.1 Supported Platforms updated	
337758	001	<ul style="list-style-type: none">• Initial release	June 2018

§

1 Description of Release

This document contains information on the accompanying Intel® QuickAssist Technology (Intel® QAT) Windows* Software release v1.6.0-0004. This document also describes extensions and deviations from the release functionality described in [Table 6](#), Intel® QuickAssist Technology Software for Linux* Software Programmer's Guide for the various platforms that support Intel® QAT.

Note: These release notes may include known issues with third-party or reference platform components that affect the operation of the software.

1.1 Supported Hardware Platforms

The software in this release has been validated against the following devices:

- Intel® QuickAssist Adapter 8960 and 8970
- Intel® Xeon® Scalable Platform with Intel® C62x Chipset (with Intel® QAT)
- Intel® Xeon® D Platform with Intel® C62x Chipset (with Intel® QAT)
- Intel® Atom® C3000 with Intel® QAT
- Intel® Xeon® third generation platforms

Note: Intel® QAT supports Intel® Xeon® Scalable first and second generations.

1.2 Supported Operating Systems

The software in this release has been validated against the following Operating Systems (OS):

- Windows* Server 2022
- Windows* Server 2019
- Windows* Server 2016
- Windows* Server 20H1
- Windows* Server 20H2
- Windows* 10 Enterprise 2019 LTSC (Intel® Atom® SKU only)

Below are the currently validated Bare-Metal/Host Operating Systems supported for this release.

Table 1. Validated Bare-Metal/Host Operating Systems Supported for This Release

Host Operating System	Intel® QAT 8960/8970/C62x	Intel® QAT C3000
Windows* Server 2016	Yes	No
Windows* Server 2019	Yes	No

Host Operating System	Intel® QAT 8960/8970/C62x	Intel® QAT C3000
Windows* Server 20H2	Yes	No
Windows* Server 2022	Yes	No
Windows* 10 Enterprise LTSC	No	Yes

Below are the currently validated Guest Operating Systems supported with this release.

Table 2. Validated Guest Operating Systems Supported for This Release

Guest Operating System	Intel® QAT 8960/8970/C62x
Windows* Server 2016	No
Windows* Server 2019	Yes
Windows* Server 2022	No
Windows* 10 Enterprise LTSC	No
Ubuntu* 16.04 LTS, Kernel 4.15	Yes
Ubuntu* 18.04 LTS, Kernel 4.15	Yes

Note: Other Host/Guest Operating System combinations may work but has not been validated by Intel®.

1.3 Package Version

The following table shows the OS-specific package versions for each platform supported in this release.

Table 3. Package Version

Chipset or SoC	Package Version	SHA256 Checksum
Top-Level Package	W.1.6.0-0004.zip	05A246CDFD01DB176B86AA92F3FF2812A0 742554639B3A05637705CA338D7C74

Note: This software release has passed the Windows* Hardware Lab Kit (HLK*) Certification and contains certified device drivers.

This release was validated with the following software versions running in Ubuntu 18.04 Virtual Machine:

- Intel® QAT W.1.6.0-0004 driver
- Intel® QATzip v1.0.5

- Intel® ISA-L 2.30 DLL (for compression/decompression Software Fallback)
- Intel® QAT L.4.14.0-00031 driver (for Linux* Virtual Function)
- Async Nginx 0.45 with QAT-Engine 0.6.5 and OpenSSL 1.1.1j (for Linux* Virtual Function QAT-Engine Software Fallback)

1.4 What's New

- Added Windows* Virtual Function support for Windows* Server 2019 for Intel® QAT 8970/C62x devices (currently compression support only)
- Added support for Windows* Server 2022 OS
- ISA-L NuGet package integration into the QAT Windows* driver package. This is available in Standalone Mode
- Added support for qzCompressExt and qzDecompressExt. This allows the end user access to extended return codes (e.g., to determine if SW or HW was used during the compress/decompress call)
- Added support to install QAT software (qatzip.dll) on systems without QAT hardware
- Removed support for Kernel Mode PKE
- WPP support for base driver, QATzip, and CfQat

1.5 Intel® QAT Software Release Feature History

Table 4. Intel® QAT Software Release Feature History

Release History	New Features
Release W.1.5.0-0007	<ul style="list-style-type: none"> • Added Windows* Host Virtualization support via SR-IOV. Currently, only Linux* QAT VF's are supported • Added installation modes. Standalone is the same as previous drivers; it will install the QAT base driver, compression, and crypto service. Hyper-V mode will only install the QAT base driver in SR-IOV mode. This requires a system reboot. Do not use Hyper-V mode if compression or crypto services are needed on the Host partition • Added Software Fallback for the Windows* PF driver to support Linux* Guests with the QAT Linux* VF using QAT Engine Applications • Added QATzip support for the systems without QAT hardware and services. All deflate compression operations will take the software path using ISA-L if software fallback is specified
Release 1.4.0-0007	<ul style="list-style-type: none"> • Added support for Intel® Atom® C3000 with Intel® QAT • Updated Windows* QATzip to use standard QATzip header file • Added support for the gzip and gzipext data format • Added support of ISA-L SW Fallback for gzip and gzipext data formats
Release 1.3.0-0009	<ul style="list-style-type: none"> • Software fallback in the event of hardware failure for cryptography and compression services

Release History	New Features
	<ul style="list-style-type: none"> Improved error handling with the Intel® QuickAssist cryptography and compression services
Release 1.2.0-0018	<ul style="list-style-type: none"> Intel® Intelligent Storage Acceleration Library (ISA-L) integration with Intel® QuickAssist compression and decompression services. Compression fallback support with ISA-L Improved error handling with the Intel® QuickAssist compression services
Release 1.1.0-0029	<ul style="list-style-type: none"> Add support for PKE cryptography services
Release 1.0.0-0022	<ul style="list-style-type: none"> Initial release that supports Intel® QAT compression and decompression

1.6 Data Compression Services

This software package provides the following Data Compression services:

- Static Deflate Stateless compression/decompression
- Dynamic Deflate Stateless compression/decompression
- Includes sample code application for compression services – parcomp

For ISA-L integration, the source code and information to build the DLL can be found in [Table 6](#), Intel® Intelligent Storage Application Library GitHub. The minimum required version is 2.26.0.

The QATZip file includes the following compression/decompression functions:

```

qzInit
qzSetupSession
qzCompress
qzDecompress
qzTeardownSession
qzClose
qzMalloc
qzFree
qzGetStatus
qzGetDefaults
qzSetDefault
qzCompressExt
qzDecompressExt
qzMaxCompressedLength
    
```

1.7 Cryptography Services

This software package also provides the following cryptography services.

Support for PKE cryptography services include:

- Cryptography API: Next-Generation (CNG) support, sometimes referred to as the “BCrypt API.” Refer to Cryptography API: Next-Generation, [Table 5](#).
- An Intel® QuickAssist CNG provider is registered to support the following PKE algorithms:
 - Rivest-Shamir-Adleman (RSA)
 - Digital Signature Algorithm (DSA)
 - Elliptic Curve Digital Signature Algorithm (ECDSA) (P256, P384, P521)
 - Diffie–Hellman (DH)
 - Elliptic-curve Diffie–Hellman ECDH (P256, P384, P521)
- CNG API support in user mode

1.8 Customer Support

Intel® offers support for this software at the Application Program Interface (API) level, defined in [Table 5](#) and [Table 6](#) of the Programmer Guides and API reference manuals. If the field representative has created an account for you, submit support requests via the Online Service Center, <https://supporttickets.intel.com/?lang=en-US>.

1.9 List of Files in This Release

The Bill of Materials (BOM) is included as a text file in the released software package. This text file is labeled “filelist” and located at the top directory level for each release package.

1.10 Reference Documents

[Table 5](#) lists Intel® QuickAssist Technology’s generic documentation.

[Table 6](#) lists Intel® QuickAssist Technology specific documentation.

Table 5. Intel® QuickAssist Technology’s Generic Documentation

Document	Document Number/ Location
Intel® QuickAssist Technology API Programmer’s Guide	330684
Intel® QuickAssist Technology Performance Optimization Guide	330687
Cryptography API: Next-Generation	https://docs.microsoft.com/enus/windows/desktop/Se_cNG/cng-portal

Table 6. Intel® QuickAssist Technology Software Specific Documentation

Document	Document Number/ Location
Intel® QuickAssist Technology Software for Linux* Software Programmer's Guide	336210

1.11 Terminology

Table 7. Terminology

Term	Description
API	Application Program Interface
AES	Advanced Encryption Standard
BOM	Bill of Materials
CNG	Cryptography API: Next Generation
DH	Diffie-Hellman
DSA	Digital Signature Algorithm
ECDH	Elliptic-curve Diffie-Hellman
ECDSA	Elliptic Curve Digital Signature Algorithm
WHLK*	Windows* Hardware Lab Kit
Intel® QAT	Intel® QuickAssist Technology
OS	Operating System
PKE	Public Key Encryption
RSA	Rivest-Shamir-Adleman

2 Limitations, Known Issues and Resolved Issues

This section provides the all known limitations and known issues for this release. For detailed information on features/limitations, please refer to the README.txt file inside the software package (./QuickAssist/README.txt).

2.1 Limitations

This release does not support the following:

- Static Deflate Stateful compression/decompression
- Dynamic Deflate Stateful compression/decompression
- Symmetric (bulk) cryptography algorithms like Advanced Encryption Standard (AES)
- Fallback for Cryptography services
- Compression Software Fallback/Serviceing for Windows* SR-IOV use case

2.2 Known Issues

The known issues and resolved issues with this software release are listed below:

2.2.1 WCAT workload has ECDHE curve25519 failure

Title	WCAT workload has ECDHE curve25519 failure
Reference #	QATE-38965
Description	The ECDHE curve "curve25519" is the default curve for ECDHE in Windows*. The WCAT workload on IIS fails to authenticate when using Intel® QAT to run ECDHE and RSA, using the default curve preference order.
Resolution	Two possible resolutions: Change the default ECDH curve in Windows* to be a curve that is supported by Intel® QAT. The result is that ECDH is executed on Intel® QAT (but not using curve25519). Use the CPMCNGInstaller tool to unregister ECDH provider for QAT. The result is that ECDH is executed on the CPU using the default curve25519.
Affected OS	Windows* Server 2016/2019
Driver/Module	QAT IA – Crypto

2.2.2 Parcomp unable to read > 1GB file for compression

Title	Parcomp unable to read > 1GB file for compression
Reference #	QATE-40170
Description	Parcomp is unable to read large files (test file was 2.2 GB) for compression. Thus, compression would fail.
Resolution	When writing an application with QATZIP, chunk the file into at most 1GB increments.
Affected OS	Windows* Server 2016/2019
Driver/Module	QAT IA – Compression

2.2.3 Cngtest does not validate fallback operations are working correctly

Title	Cngtest does not validate fallback operations are working correctly
Reference #	QATE-38968
Description	Currently, the Cngtest does not include tests to validate the fallback to the Microsoft* provider works for unsupported algorithms and curves. Environment: Supermicro* X11 Intel® QAT Microserver with 2x 37C8 devices Windows* Server 2016 The Cngtest cannot validate fallback operations. If encryption is performed by SW, it needs to ensure that decryption can be performed by the Intel® QAT HW or vice-versa.
Resolution	There is currently no workaround for this, and it may be added in a future release.
Affected OS	Windows* Server 2016/2019
Driver/Module	QAT IA – Crypto

2.2.4 Sending malicious data to the VF may result in PCIe Push/Pull Parity Error or NMI

Title	Sending malicious data to the VF may result in PCIe Push/Pull Parity Error or NMI
Reference #	QATE-41844
Description	When sending malicious or malformed data to the QAT VF driver, especially in kernel mode operations, you may see a PCIe Push/Pull Parity error or in the worst and rare case, a NMI error.
Resolution	There is currently no workaround for this, it is a hardware limitation.

Title	Sending malicious data to the VF may result in PCIe Push/Pull Parity Error or NMI
Affected OS	Windows* Server 2019 Hyper-V and newer
Driver/Module	QAT IA

2.2.5 Compression may randomly fail (qzSetupSession error) after driver installation

Title	Compression may randomly fail (qzSetupSession error) after driver installation
Reference #	QATE- 71057
Description	After a driver installation, there may be a rare occurrence where compression operations will fail qzSetupSession continuously.
Resolution	Restart the system
Affected OS	Windows* Server 2016 and newer
Driver/Module	QAT IA – Compression

2.2.6 Multiple concurrent PF/VF comms operations will put VF device in bad state

Title	Multiple concurrent PF/VF comms operations will put VF device in bad state.
Reference #	QATE- 67282
Description	Operations that require multiple concurrent PF/VF communications may result in putting the VF in a bad state. Such operations generally include bring the VF up or down simultaneously (such as during a precisely timed driver installation across multiple VM’s and VF’s).
Resolution	Restart the affected VM
Affected OS	Windows* Server 2019 Hyper-V and newer Linux* using KVM on kernel 4.04 and newer
Driver/Module	QAT IA

2.2.7 Possible MIN macro redefinition error in qatzip.h header file

Title	Possible MIN macro redefinition error in qatzip.h header file
Reference #	QATE-77024
Description	The QATzip.h header file defines the macro - MIN as: <pre>#define MIN(a,b) (((a)<(b))?a):(b)</pre> Since this is a very common macro definition, it is likely to be defined in many system headers and as a result, can lead to "macro re-definition" errors.
Resolution	Change the macro name or include an #ifndef around the macro
Affected OS	Windows* Server 2016/2019/2022
Driver/Module	QAT IA - Compression

2.2.8 Performance counters are not removed after uninstalling package

Title	Performance counters are not removed after uninstalling package
Reference #	QATE-76357
Description	QAT performance counters are not being uninstalled on certain versions of Windows*.
Resolution	Counters can be manually removed.
Affected OS	Windows* Server 2016/2019
Driver/Module	QAT IA – Base Driver

2.2.9 Installation temp folder not deleted when QAT installed as normal user

Title	Installation temp folder not deleted when QAT installed as normal user
Reference #	QATE-76914
Description	When QAT is installed as a normal user, the installation temporary folder is not deleted after install is finished or cancelled.
Resolution	The Windows* QAT driver package requires Administrator privileges to install correctly. Folder may be removed manually.
Affected OS	Windows* Server 2016/2019/2022

Title	Installation temp folder not deleted when QAT installed as normal user
Driver/Module	QAT IA – Installer

2.2.10 Uninstalling QAT PF driver with active Windows* Guests QAT VF's may cause VM shutdown issues

Title	Uninstalling QAT PF driver with active Windows* Guests QAT VF's may cause VM shutdown issues
Reference #	QATE- 76930
Description	When uninstalling the QAT PF driver while there are active QAT VF's on Windows* Guests (Windows* Server 2019 and earlier), it may lead to instability when restarting or shutting down those Guests.
Resolution	This is an OS limitation, as the same situation does not happen on Windows* Server 2022; the workaround for older OS's is to remove the QAT VF's (via Remove-VMAssignableDevice) first before attempting to uninstall the QAT PF driver.
Affected OS	Windows* Server 2016/2019
Driver/Module	QAT IA – Base Driver

2.3 Resolved Issues

2.3.1 Default curve order for elliptic curves not supported by QAT

Title	Default curve order for elliptic curves not supported by QAT
Reference #	QATE-37219
Description	<p>The default curve order on Windows* when using cipher suites with ECDHE is as follows:</p> <p><code>curve25519 NistP256 NistP384</code></p> <p>Since <code>curve25519</code> is not supported by Intel® QAT, cryptography operations will fail when using cipher suites with ECDHE.</p> <p>However, the <code>NistP256</code> and <code>Nist384</code> curves are supported by Intel® QAT, so if the curve priority order is changed as shown below, cryptography operations when using cipher suites with ECDHE will succeed:</p> <p><code>NistP256</code> <code>NistP384 curve25519</code></p>
Resolution	<p>Modify the default ECC Curve Order as below:</p> <p>Launch the Group Policy Editor: <code>gpedit.msc</code></p> <p>Open Computer <code>Configuration/Administrative</code></p>

Title	Default curve order for elliptic curves not supported by QAT
	Template/Network/ SSL Configuration Settings Double-click ECC Curve Order (in the right pane) Click Enabled Edit the ECC Curve Order in the priority order described above. Click 'Apply' and exit the application
Affected OS	Windows* Server 2019/2016
Driver/Module	QAT IA – Crypto

2.3.2 QAT driver and service are sometimes not removed after uninstallation

Title	QAT driver and service are sometimes not removed after uninstallation
Reference #	QATE-65388
Description	After uninstalling the QAT driver using control panel or the command line, the driver file <code>icp_qat.sys</code> and the associated Windows* service do not get removed properly. Upon reboot, devices in Device Manager will show error code 32.
Resolution	In device manager, right click and uninstall with remove files checked, manually remove <code>icp_qat.sys</code> file.
Affected OS	Windows* Server 2019
Driver/Module	QAT IA – General

2.3.3 Cannot disable driver while parcomp (compression) is running

Title	Cannot disable driver while parcomp (compression) is running
Reference #	QATE-36847
Description	<p>When running <code>parcomp</code> stress tests, you cannot disable all 37c8 Intel® QAT devices. Doing so may cause the driver to spin until the <code>parcomp</code> process is stopped.</p> <p>The issue has been observed mostly on Skylake-D systems.</p> <p>Environment: Supermicro* X11 Intel® QAT Microserver with 2x 37C8 devices Windows* Server 2016 W.1.1.0-0029 drivers</p> <p>Steps: Run a <code>parcomp</code> stress test. Automation runs with the following parameters:</p>

Title	Cannot disable driver while parcomp (compression) is running
	<pre>.\parcomp.exe -i C:\\CompressionFiles\silesia -o C:\\CompressionFiles\\compress -p qat -Q -t 6 -k 4096 j 60 -x 2 -n 200</pre> <p>Disable 37c8 devices, one at a time until no more left (sometimes may occur on the first 37c8 disable). Last, disable should keep spinning until parcomp thread is stopped.</p>
Resolution	This is resolved with the QAT1.5.0-0007 release.
Affected OS	Windows* Server 2019/2016
Driver/Module	QAT IA – Compression

2.3.4 Windows* Setup /passive install has crypto failures

Title	Windows* Setup /passive install has crypto failures
Reference #	QATE-38404
Description	When you use the '/passive' option for installation, it seems that Crypto will fail after a few iterations.
Resolution	This is resolved with the QAT1.5.0-0007 release.
Affected OS	Windows* Server 2019/2016
Driver/Module	QAT IA – Crypto

2.3.5 System crash when calling QATZip API function incorrectly

Title	System crash when calling QATZip API function incorrectly
Reference #	QATE-71816
Description	Calling QATZip API function QzCompress directly without properly setting up a session via qzSetupSession, and then calling either QzClose or QzTeardownSession can cause a system crash.
Resolution	This is resolved with the QAT1.5.0-0007 release.
Affected OS	All supported Windows* OS
Driver/Module	QAT IA – Compression

2.3.6 Length headers are not populated for gzipext in SW Fallback on Linux* QATzip.

Title	Length headers are not populated for gzipext in SW Fallback on Linux* QATzip.
Reference #	QATE-74339
Description	When using gzipext on Linux* QATzip version 1.0.4 in software fallback mode, the gzipext header will not populate the length field. This may result in Windows* QATzip not being able to decompress this using gzipext (qatgzipext in parcomp sample application).
Resolution	Workaround is to use gzip decompression (qatgzip for parcomp).
Affected OS	Windows* Server 2016 and newer
Driver/Module	QAT IA - QATzip

§

3 Software Installation

The release package includes the QatSetup.exe installation application. Use this application to install the package on the targeted OS. For more information on how to install the package, refer to the Readme file included in the package:

```
.\quickassist\README.txt
```


Upon completion of the installation, the README text file can also be found in the following folder:

```
<Program Files>\Intel\Intel(R) QuickAssist Technology
```

Note: For those customers that had already have installed the previous version of the Intel® QAT software package, uninstall it and reboot before installing this new production package.

To ensure software installation completed successfully and that Intel® QAT devices are functional, refer to [Figure 1](#). The screenshot lists three "Intel® C62x Accelerator" devices under the "Security accelerators" PNP Classification.

Figure 1. Device Manager with Intel® QuickAssist driver installed in Microsoft® Windows*



§

4 Test Applications

4.1 Compression Test Application

A compression test application, parcomp, is included in this package. For more information on how to use the parcomp application, refer to the Readme file included in the package. You can find the README file in the following folder upon completion of the installation:

```
<Program Files>\Intel\Intel(R) QuickAssist Technology
```

4.2 Cryptography (PKE) Test Application

A cryptography test application for PKE operations, Cngtest, is included in this package. For more information on how to use the Cngtest application, please refer to the Readme file included in the package. You can find the README file in the following folder upon completion of the installation:

```
<Program Files>\Intel\Intel(R) QuickAssist Technology
```

§